




Single Filter Half Mask Respirator



Produced from soft Thermoplastic Elastomer
Light in weight, Easy to use & low maintenance

Durable Adjustable Elastic Bands
Gives head support and even distribution of weight

Exhalation vent valve
Allows efficient escape of CO₂



Sweat port
Comfortable in hot and humid conditions

VENUS V-500 Half Mask

- Low profile design provides a large field of vision
- Face piece produced from soft non-allergic TPE material provides excellent fit
- The soft, adjustable strap ensures a perfect fit to wide face contours
- Can be used with protective Goggles, Face shield and Spectacles



Colour	Item Code
Grey	15024



Gas filters used in connection with half masks

FILTER	HAZARD TYPE	EXAMPLES	MAXIMUM USER LEVELS	COLOUR CODE
A1	Organic Vapour	Cyclohexane C ₆ H ₁₂	1000 ppm or 10 X OEL whichever is lower	Brown
B1	Inorganic Gases	Chlorine (Cl ₂), Hydrogen Sulphide (H ₂ S), Hydrogen Cyanide (HCN)	1000 ppm or 10 X OEL whichever is lower	Grey
E1	Acid Gases	Sulphur Dioxide (SO ₂)	1000 ppm or 10 X OEL whichever is lower	Yellow
K1	Ammonia	Ammonia (NH ₃) & derivatives	1000 ppm or 10 X OEL whichever is lower	Green
ABEK1	OV/O/AG/AM	Multi-gas filter ABEK1	1000 ppm or 10 X OEL whichever is lower	Brown Grey Yellow Green
P3 R HEPA	Particle Filter	Non highly volatile liquid & solid particle	30 X OEL	White
P3 R PANCAKE FILTER	Particle Filter	Non highly volatile liquid & solid particle	30 X OEL	White
A1 + PRE-FILTER	Organic Vapour + Particulate Pre-filter	Combination of Venus V-7800 A1 gas filter with V-7800 pre-filter & retainer fulfill the requirement of combination filter class A1P2R	1000 ppm or 10 X OEL whichever is lower	Brown
ABEK1 + PRE-FILTER	OV/O/AG/AM + Particulate Pre-filter	Combination of Venus V-7800 ABEK1 gas filter with V-7800 pre-filter & retainer fulfill the requirement of combination filter class ABEK1P2R	1000 ppm or 10 X OEL whichever is lower	Brown Grey Yellow Green
A1 P3 R	Organic Vapour + Particulate filter	Combined filter	1000 ppm or 10 X OEL whichever is lower	Brown & White
ABEK1 P3 R	OV/O/AG/AM +	Combined filter	1000 ppm or 10 X OEL	Brown Grey

VENUS V-7500 Filters



VENUS V-7500 A1 Filter
Colour : Brown
Item Code : 17021



VENUS V-7500 B1 Filter
Colour : Grey
Item Code : 17028



VENUS V-7500 E1 Filter
Colour : Yellow
Item Code : 17020



VENUS V-7500 K1 Filter
Colour : Green




VENUS V-7500 ABEK1 Filter
Colour : Multi-Color

Dual Filter Half Mask Respirator



- Face pieces and filters
EN 140:1998 & EN 14387 approved
- Produced from soft elastomer materials,
Contours itself for good face seal,
Light in weight, easy to use & maintain
- Exhalation valve allows efficient venting of
CO₂ build up
- Adjustable 4 point elastic gives even support &
distribution of weight
- Threaded design filters, convenient to use / replace
- Replaceable particulate prefilter

VENUS V-800 Half Mask



VENUS V-7800 Combination Filters



VENUS A1P2R Filter
Colour : Brown
Item Code : 17087



VENUS B1 Filter
Colour : Grey
Item Code : 17091



VENUS E1 Filter
Colour : Yellow
Item Code : 17088



VENUS K1 Filter
Colour : Green
Item Code : 17089



VENUS ABEK1P2R Filter
Colour : Multicolour
Item Code : 17090

Combined Filter



VENUS A1P3R Filter
Colour : Brown



VENUS ABEK1P3R Filter
Colour : Multicolour

Particle Filter



VENUS P3R HEPA Filter
Colour : White



VENUS P3R PANCAKE FILTER
Colour : White

Suggested Applications

- Automobile Industry
- Battery
- Industrial Painting
- Chemical Industry
- Heavy Metals
- R & D Labs
- Metal and Metallurgy
- Heavy Electrical
- Cold Storage
- Pesticides
- Plastic / PVC / Rubber Industry
- Foundries

Reusable Mask



V-777 Full Face Mask

Produced from Silicon rubber
Light in weight, easy to use and low maintenance

Speech Diaphragm
For easy and audible communication

Toric lens
For wide vision



New

5-Strap head harness

Gives head support and even distribution of weight. Good skin comfort in tough conditions. Provide leakproof fit

'Zero' Power Hard Coated Visor

Polycarbonate lens meets impact test requirement for face protection
High clarity & durability
Unique double anti-fog

Inner Face Piece

Prevents fogging on visor

Two point adjusters

For quick fit

Standard Thread

RD40 Thread for connection to any standard thread cannister as per IS 14138 (Part 1) : 1994

IS 14166



CM/L-3715864

Colour	Item Code
Grey	13151

V-666 Full Face Mask



Produced from Natural Neoprene Rubber
Easy to use and low maintenance

Strong Adjustable Penta Belt

Gives head support and even distribution of weight. Good skin comfort in tough conditions. Provide leakproof fit.

'Zero' Power Hard Coated Visor

Polycarbonate lens meets impact test requirement for face protection
High Clarity & Durability

Inner Face Piece

Prevents fogging on visor

Standard Thread

RD40 Thread for connection to any standard thread cannister as per IS 14138 (Part 1) : 1994

Neck Strap

For Easy handling

Speech Diaphragm

For easy and audible communication

Suggested Applications

- Automobile Industry
- Battery
- Petrochemicals
- Chemical Spills
- Industrial Painting
- Smelter
- Chemical Industry
- Heavy Metals
- R & D Labs
- Metal and Metallurgy
- Heavy Electrical
- Cold Storage
- Pesticides
- Plastic / PVC / Rubber Industry
- Foundries

IS 14166



CM/L-3715864

Colour	Item Code
Black	15012

IS 15323



CM/L-7905889



Information about protection levels Gas filters (gas, vapour)

Gas Filter	Hazard Type	Examples	Max. Use Level (Medium Capacity filter) Class 2	Colour Code	Item Code
A2	Organic Vapour (OV)	Solvents like White spirit, Toulene, Carbon Tetrachloride (CCl ₄)	5000 ppm or 50 X O.E.L. whichever is lower, 0.5% by volume	Brown	17014
B2	Inorganic Gas (IO)	Chlorine (Cl ₂) Hydrogen Sulphide (H ₂ S)	5000 ppm or 50 X O.E.L. whichever is lower, 0.5% by volume	Grey	17013
E2	Acid Gas (AC)	Sulphur Dioxide (SO ₂)	5000 ppm or 50 X O.E.L. whichever is lower, 0.5% by volume	Yellow	17011
K2	Ammonia (AM)	Ammonia (NH ₃) with certain amines	5000 ppm or 50 X O.E.L. whichever is lower, 0.5% by volume	Green	17012
ARFK2	Multigas (OV/IO/AC/AM)	Shall be applicable for all above	5000 ppm or 50 X O.E.L. whichever is lower, 0.5% by volume	Multicolor	17037